

PDC - Power Distribution Center

60-200A, Single & 3-Phase Jobsite Power



Standard Features:






- cETLus listed for U.S. and Canada
- Up to 200 Amp Capacity
- Feed-thru units (CAM2 Models) are rated 400 Amp w/ CAM set
- Rugged corrosion resistant aluminum tubular 2-wheel frame
- 15-20 Amp GFCI Protection
- 120/208V, 120/240V, 480V, or 600V
- Single & 3-Phase Receptable Options
- NEMA 3R in-use
- UL943-5 Self-Testing GFCI Receptacle Compliance
- 15-20 Amp GFCI Protection
- UL1640 Compliant Open Neutral Protection

Market Applications:

- Maintenance and Construction Power & Lighting
- Power Generation
- Ship Building
- Mining
- Food and Beverage
- Aerospace
- Emergency Response
- Temporary Shelter
- Military Applications




Combo-Box Examples



Standard Power Distribution Units

Part Number	Male Inlet Type	Phase	Volts	Amps	Main Circuit Breaker or Main Lug	Feed Thru	Receptacles
BE1-CAMCL1061	CAM Set (4)	1	120/240V	110	ML	N	(6) 5-20 GFCI Duplex, (1) CS6369 - 50A
BE1-CAM2CL1120	CAM Set (4)	1	120/240V	120	ML	Y	(12) 5-20 GFCI Duplex
BE1-CAMCL11211	CAM Set (4)	1	120/240V	200	ML	N	(12) 5-20 GFCI Duplex, (1) CS6369 - 50A, (1) L6-30
BE1-CAM2CM1120	CAM Set (4)	1	120/240V	200	MCB	Y	(12) 5-20 GFCI Duplex
BE1-T50CM1080	50A CS	1	120/240V	50	MCB	N	(8) 5-20 GFCI Duplex
BE1-T50CM1120	50A CS	1	120/240V	50	MCB	N	(12) 5-20 GFCI Duplex
BE1-I60CM3120	IEC309 60A	3	120Y208V	60	MCB	N	(12) 5-20 GFCI Duplex
BE1-I60CL3090	IEC309 60A	3	120Y208V	60	ML	N	(9) 5-20 GFCI Duplex
BE1-I60CWM3120-1 ¹	IEC309 60A	3	120Y208V	60	MCB	Y	(12) 5-20 PIGTAILS, WALL MOUNT
BE1-I1002CLC3120	IEC309 100A	3	120Y208V	80	ML	Y	(12) 5-20 GFCI Duplex
BE1-CAM2CL3006	CAM Set (5)	3	120Y208V	200	ML	Y	(6) CS6369- 50A
BE1-CAMCL3062	CAM Set (5)	3	120Y208V	120	ML	N	(6) 5-20 GFCI Duplex, (2) CS6369 - 50A
BE1-CAMCL3120	CAM Set (5)	3	120Y208V	80	ML	N	(12) 5-20 GFCI Duplex
BE1-CAMCL3042-1	CAM Set (5)	3	120Y208V	180	ML	N	(4) 5-20 GFCI Duplex, (2) CS6369- 50A, (4) L21-20
BE1-CAMCL30442	CAM Set (5)	3	120Y208V	200	ML	N	(4) 5-20 GFCI Duplex, (4) CS6369- 50A, (2) L6-30
BE1-CAMCL31022	CAM Set (5)	3	120Y208V	160	ML	N	(10) 5-20 GFCI Duplex, (2) TT-30, (2) 14-50
BE1-CAM2CL3006	CAM Set (5)	3	120Y208V	200	ML	Y	(6) CS6369 - 50A

¹ - Comprised of listed and recognized components



Design Your Own PDC

BE1


Options
See Below

BE1	Voltage	Amperage	Input	Main Feed	Output	Enclosure	Sub Panels	Mounting
BE1= BE1	12 = 120/240 18 = 120/208Y 47 = 277/480Y 60 = 600V	6 = 60 8 = 80 10 = 100 12 = 125 150 = 150 200 = 200	CAM = Cam Connectors IEC = IEC Inlet (specify amperage) CB = Cable, Blunt End CP = Cable with Plug (specify plug type)	MB = Main Breaker MLO = Main Lugs Only	CAM = Cam Receptacles IEC = IEC Receptacle REC = Receptacle – specify configuration	PCS = Powder Coated Steel SS = Stainless Steel	1. 2. 3. 4.	2W = Two Wheel Cart WM = Wall Mount

Panel Options


Main Breaker Panels (Optional) note: if main breaker is not required, leave this section blank

Panel 220




Up to 100A 3P

Panel 222



Up to 200A 3P


Panel 206



Up to 100A 2P


Receptacle Panels

Panel 362




Four Duplex

Panel 361




50A 2 Pole

Panel 364




20A/30A Twist Lock, 2P or 3P

Panel 363




20A/30A Twist Lock, 1P

Panel 202-1




Three Duplex

Panel 217




20A/30A Twist Lock, 2P

Panel 225




Six Duplex

Panel 223



Six 20/30A Twist Lock

Panel 213



Twelve Pole Breaker

Panel 209



Blank

NOTES:

- USE 3-4 PANELS (INCLUDING MAIN BREAKER IF USED)
- CAN USE PANELS MORE THAN ONCE
- PORTIONS OF PANELS CAN BE BLANKED

Input and Output Cordsets & Power Receptacles

Part Number	Male Inlet Type	Phase	Description
20 Amp Cordsets			
123B	NEMA 5-15	1	COMMERCIAL GRADE 50FT OF 12/3 SJTW CABLE, PRI: 5-15 & SEC: 5-15C LIGHTED
123D	NEMA 5-15	1	COMMERCIAL GRADE 100FT OF 12/3 SJTW CABLE, PRI: 5-15P & SEC: 5-15C LIGHTED
50 Amp Cordsets (for BE1-T50 units, or for CS6369 receptacles)			
63BSO	Calif. Style	1	50FT OF 6/3+8/1 SOW/SOOW CABLE, 50A, CS6365-P & CS6364-C
63DSO	Calif. Style	1	100FT OF 6/3+8/1 SOW/SOOW CABLE, 50A, CS6365-P & CS6364-C
190 Amp Camlock Cordsets (for BE1-CAMxx units)			
SC2MF50-4	CAM Set (4)	1	SET OF FOUR 190AMP, 50FT OF #2 AWG TYPE SC BLACK CABLES (BK, R, W, G)
SC2MF100-4	CAM Set (4)	1	SET OF FOUR 190AMP, 100FT OF #2 AWG TYPE SC BLACK CABLES (BK,R, W, G)
SC2MF50-5	CAM Set (5)	3	SET OF FIVE 190AMP, 50FT OF #2 AWG TYPE SC BLACK CABLES (BK, R, BL, W, G)
SC2MF100-5	CAM Set (5)	3	SET OF FIVE 190AMP, 100FT OF #2 AWG TYPE SC BLACK CABLES (BK, R, BL, W, G)
300 Amp Camlock Cordsets (for BE1-CAMxx units)			
SC20MF50-4	CAM Set (4)	1	SET OF FOUR 300AMP, 50FT OF #2/0 AWG TYPE SC BLACK CABLES (BK, R, W, G)
SC20MF100-4	CAM Set (4)	1	SET OF FOUR 300AMP, 100FT OF #2/0 AWG TYPE SC BLACK CABLES (BK,R, W, G)
SC20MF50-5	CAM Set (5)	3	SET OF FIVE 300AMP, 50FT OF #2/0 AWG TYPE SC BLACK CABLES (BK ,R, BL, W, G)
SC20MF100-5	CAM Set (5)	3	SET OF FIVE 300iAMP, 100FT OF #2/0 AWG TYPE SC BLACK CABLES (BK, R, BL, W, G)
400 Amp Cam Connector Cordsets (for Feedthrough BE1-CAM2xx units)			
SC40MF50-4	CAM Set (4)	1	SET OF FOUR 400AMP, 50FT OF #4/0 AWG TYPE SC BLACK CABLES (BK, R, W, G)
SC40MF100-4	CAM Set (4)	1	SET OF FOUR 400AMP, 100FT OF #4/0 AWG TYPE SC BLACK CABLES (BK R, W, G)
SC40MF50-5	CAM Set (5)	3	SET OF FIVE 400AMP, 50FT OF #4/0 AWG TYPE SC BLACK CABLES (BK, R, BL, W, G)
SC40MF100-5	CAM Set (5)	3	SET OF FIVE 400AMP, 100FT OF #4/0 AWG TYPE SC BLACK CABLES (BK, R, BL, W, G)
50A Receptacle Assembly			
SR50	-	1	50A PWR CS6369 RECPT w/METAL WATERPROOF BOX AND 21" #6 LEADS
IEC Cordsets (for BE1-160/1100xx units)			
65BSO	IEC	3	60A, 50FT OF 6/5 TYPE W, 5100P9W & 5100C9W
65DSO	IEC	3	60A, 100FT OF 6/5 TYPE W, 5100P9W & 5100C9W
25BSO	IEC	3	100A, 50FT OF 2/5 TYPE W, 5100P9W & 5100CPW
25DSO	IEC	3	100A, 100FT OF 2/5 TYPE W, 5100P9W & 5100C9W

*Cam Connectors - for 480V colors, add "-480" to part number

Cam Set



63BSO/DSO



IEC Cordset



123B/123D



SR50



63YSTW



Ericson Manufacturing Company
4323 Hamann Parkway
Willoughby, OH 44094, USA



1-800-374-2766
info@ericson.com
L1000643C