

7 and 9 Series Industrial Grade Hand Lamps

Jobsite Lighting



Standard Features:

- cETLus listed for U.S. and Canada
- 120 and 12-Volt options
- Use with a variety of LED, CFL or Incandescent Lamps
- Molded flexible rubber handle impervious to impact and resistant to work site chemicals
- Assembled with industrial grade NEMA 5-15 Plug
- Accommodates cord sizes up to 14/3 SOW
- Product customizations is available on page 3
- Wide selection of replacement parts and LED lamps

Market Applications:

- Construction
- Emergency Lighting
- Ship Building and Repair
- Petrochemical
- Aerospace
- Utility Maintenance
- Power Generation
- Industrial

Product Options:

- Optional on/off switch
- Several Lamp Guards and Renewal Parts Available



Unique Features:



9 series
with NEMA5-15
Outlet



Supports several
Lamp Styles




Rugged hook &
reflector for
demanding applications



Convenient
Switch Available

7-Series Selection Guide:



Part Number	Cord Length	Cord Type	Primary Plug	Guard Type	Handle Receptacle	On/Off Switch
7425-R	25 ft.	16/3 SOOW	NEMA 5-15	104-R	-	-
7450-R	50 ft.	16/3 SOOW	NEMA 5-15	104-R	-	-
7425-RS	25 ft.	16/3 SOOW	NEMA 5-15	104-R	-	Yes
7450-RS	50 ft.	16/3 SOOW	NEMA 5-15	104-R	-	Yes

9-Series Selection Guide:



Part Number	Cord Length	Cord Type	Primary Plug	Guard Type	Handle Receptacle	On/Off Switch
9425-R	25 ft.	16/3 SOOW	NEMA 5-15	104-R	Yes	-
9450-R	50 ft.	16/3 SOOW	NEMA 5-15	104-R	Yes	-
9425-RS	25 ft.	16/3 SOOW	NEMA 5-15	104-R	Yes	Yes
9450-RS	50 ft.	16/3 SOOW	NEMA 5-15	104-R	Yes	Yes

7 & 9 Series Handlamp Customization Chart*

*Select a handle and guard to customize a handlamp to meet you needs.

7 Style Handle	9 Style Handle
----------------	----------------



- On/Off switch available
- Industrial Grade Plug
- Ground tab for wire guards
- Add guard below for specific use application



- On/Off switch available
- Receptacle in handle
- Industrial Grade Plug
- Ground tab for wire guards
- Add guard below for specific use application

7 & 9 Series Handle & Cord Guide*:

Part Number	Part Number	Cord Length	Cord Type	Primary Plug	9 Series Handle Receptacle	On/Off Switch
7-A25	9-A25	25 ft.	16/3 SOOW	NEMA 5-15	Yes	-
7-A50	9-A50	50 ft.	16/3 SOOW	NEMA 5-15	Yes	-
7-SA25	9-SA25	25 ft.	16/3 SOOW	NEMA 5-15	Yes	Yes
7-SA50	9-SA50	50 ft.	16/3 SOOW	NEMA 5-15	Yes	Yes



ON/OFF Switch

*Bulbs and guard are not included with this series, select your lamp guard and lamp from above. Product customization available, contact your Ericson representative.

Closed End Lamp Guards for 7 and 9 Handlamps (Max wattage 100W):

104	104-R (Reflector)	104-I (Insulated)	118 <i>(For PS25 & PS30 Lamps)</i>

Open End Lamp Guards for 7 and 9 Handlamps:

107-I	119	150
150W	300W <i>(For PS25 & PS30 Lamps)</i>	PAR38

Replacement Parts:

7 Series Handles		9 Series Handles		Socket, Ground Clip & Switch for use with 7 and 9 Series Handles		
						
No Switch	With Switch	No Switch with Receptacle	With Switch with Receptacle	Socket with 6" leads	Grounded Clip with Lead	Switch with Weather Boot
Handle Only						
7	7-S	9	9-S	44W	710	79
Handle Assembly (with socket & ground clip)						
7-A	7-SA	9-A	9-SA			

LED Lamp Options

Part Number	SLBLED-12	SLBLED	SLBLED-60	LED10W	LED16W
Voltage AC	12V	120	120	120	120
Wattage	7.3	10	11	10-Sep	16
Lumens	850	850	1100	850	1600
Color Temp	5500K	5000K	2700K	5000K	5000K
Dimmable	-	Yes	Yes	-	-



Related Products:



HL Series
LED Landlamp



BL500
Boiler Inspection Light



1917,1918,1924
Low Voltage
Flood Light



1924-12A-LED-L
Vapor Proof
Industrial Handlamp



Ericson Manufacturing Company
4323 Hamann Parkway
Willoughby, OH 44094, USA



1-800-ERICSON
info@ericson.com
L1000873B