

# PERMA-LINK

Hospital Grade, Dust & Water Resistant



## PERMA-LINK<sup>®</sup> Hospital Grade



### Industry Leading Features:

- UL listed
- 15 & 20-amp, 125 volt configurations
- Impact resistant and non-conductive
- Built to withstand exceptional abuse
- Internal Dust and Moisture Seal prevents migration of harmful dust and moisture intrusion
- Constructed of rugged PBT and TPE, polycarbonate
- Non-conductive cord clamp accommodates cord sizes #16/3 SJ through #12/3 SO
- Gray rubber cover provides superior insulation
- Clear cover permits visual inspection of wiring terminations without disassembly (PHC/CHC series)

**Industry Leading, Ericson Exclusive**



### NEMA Configuration:

Hospital Grade Devides with Gray Covers

Face View	NEMA Configuration	Amps	Volts	Plug	Connector
	NEMA 5-15	15A	125V	1530-PH	1630-CH
	NEMA 5-20	20A	125V	1532-PH	1632-CH

Hospital Grade Devides with Clear Covers

Face View	NEMA Configuration	Amps	Volts	Plug	Connector
	NEMA 5-15	15A	125V	1530-PHC	1630-CHC
	NEMA 5-20	20A	125V	1532-PHC	1632-CHC

### Unique Features:



Impact and chemical resistant TPE husk



Contacts and face module comply to stringent hospital grade standards




Internal seal prevents moisture and dust intrusion




Clear husk for visual inspection

# Industrial Grade Product Dimensions:





## 15/20-Amp Straight, 15-Amp Locking



## 20-Amp Locking





## 30-Amp Locking





# Hospital Grade Product Dimensions:



## 1530-PH & 1532-PH





## 1630-PH & 1632-PH



## 1530-PHC & 1532-PHC



## 1630-PHC & 1632-PHC



## Related Products:

Click on an image or scan the QR code for more product information.

Learn More



[Perma-Spec](#)  
[E515P, E515C](#)



[Perma-Link](#)  
[1510-P, 1610-C](#)



[Perma-Grip](#)  
[1510-PG, 1610-CG](#)



[SmartMonitor](#)  
[AEGCP Compliant](#)  
[1510-PML/GML, 1610-CML/GML](#)



[Perma-Tite](#)  
[IP69k Water Tight](#)  
[1510-PW6P, 1610-CW6P](#)



[SmartMonitor](#)  
[AEGCP Compliant](#)  
[1510-PW6PL, 1610-CW6PL](#)



[Perma-Kleen Antimicrobial](#)  
[IP69k Water Tight](#)  
[1510 PW6P-AM, 1610 CW6P-AM](#)



[Perma-Link 50A](#)  
[CS 6365-P, CS 6364-C](#)

## Factory & Custom Assembled Cordsets:



[Perma-Link Cordset](#)



[Perma-Tite Cordset](#)



[Perma-Kleen Cordset](#)



[SmartMonitor Cordset](#)